MANCHURIAN WAPITI

Cervus xanthopygus Milne Edwards, 1867



CLASSIFICATION

<u>Class</u>: Mammalia <u>Order</u>: Cetartiodactyla <u>Family</u>: Cervidae

No recognized subspecies



VERY RARE



LEAST CONCERN (as C. canadensis)

<u>Identification</u>: Adults can grow to a body length of 2.40 m for a weight of 350 kg and a shoulder height of 150 cm. Fur color is creamy-fawn in winter, light beige in summer with dark dorsal line. Yellowish rump patch bordered by a black line. Very short tail.

<u>Range</u>: The species occurs in north-east Asia, from south-west Siberia to Ussuriland and Manchuria in north-east China.

<u>Habitat</u>: Boreal forests and woodlands, up to 3300 meters but usually lower.

<u>Behavior</u>: Mostly active by day, gregarious. Feeds mostly on grasses but also takes twigs and leaves. Montane populations move down to valleys during winter.

<u>Status in the wild</u>: The species hasn't been assessed by itself. It could be vulnerable to habitat loss (logging) and hunting locally so it might warrant threatened status.

<u>In captivity</u>: The species is now extremely rare in captivity and probably only kept in one or two Chinese zoos (and maybe a collection in Russia although this is unlikely). Bred occasionally in Shanghai Zoo. Not kept in European zoos since 2009.